

T 6 N

R 6 W



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Greene County are stored on microfilm Reel 4660 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.


The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor





Township No. VI North, Range No. VI West 2nd Mer.

Surveyed by Arthur Henrie

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Between Sections
23 & 24	Land Rolling - Timber Oak & Hickory	23 & 24	Land very rich - Timber Walnut, Ash &c.
25 & 26	Land Rolling - Timber Sugar & Birch	25 & 26	ditto
27 & 28	Land Rich - Timber Hickory, Ash, Oak & Walnut	27 & 28	ditto
29 & 30	ditto	29 & 30	ditto
31 & 32	ditto	31 & 32	ditto
33 & 34	Land Rolling - Timber Oak & Hickory	33 & 34	Land Wet - Timber Elm, Gum, Maple, Ash &c.
35 & 36	Land Wet - Timber Oak & Hickory, thorny timbered	35 & 36	ditto
37 & 38	Land level	37 & 38	ditto
39 & 40	ditto	39 & 40	ditto
41 & 42	ditto	41 & 42	ditto
43 & 44	Land rich - Timber Hickory, Ash & Walnut	43 & 44	Land Rich
45 & 46	ditto	45 & 46	ditto
47 & 48	ditto	47 & 48	ditto
49 & 50	ditto	49 & 50	Land level - Timber Oak & Hickory
51 & 52	ditto	51 & 52	ditto
53 & 54	Land Wet - Timber Beech, Ash, Elm, Gum &c.	53 & 54	Land Wet - Timber Elm, Oak & Hickory
55 & 56	Land level	55 & 56	ditto
57 & 58	ditto	57 & 58	Land level - Timber Oak & Hickory
59 & 60	Prairie	59 & 60	ditto



Township 6 North Range 6 West, 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

## h. L. South Boundary.

Var. 5° E,

West On Random On S. side of sec 36

40.00 Set a temp<sup>y</sup>. gr. sec. post80.00 Set a temp<sup>y</sup>. post cov. sec. 35 & 36

Land rolling &amp; the timber Oak &amp; Hickory

West Rand<sup>m</sup> On S. side of sec. 3540.00 Set a temp<sup>y</sup>. gr. sec. post,80.00 Set a temp<sup>y</sup>. post cov. sec. 35 & 34

Land bushy &amp; —

West Rand<sup>m</sup> On S. side of sec. 3440.00 Set a temp<sup>y</sup>. gr. sec. post

80.00 Set temporary post cov. sec. 33 &amp; 34

Land same as last,

West Random, South side of sec. 33,

23.00 To a Pond 250 lks, wide cr. NW.

40.00 Set a temp<sup>y</sup>. gr. sec. post,80.00 Set a temp<sup>y</sup>. post cov. sec. 32 & 33Rich land & the timber is Poplar Ash  
Walnut &c. —

West Random On S. side of sec. 32

9.50 To White River

19.80 Over to N.W. side of River

80.00 Set temp<sup>y</sup>. post cov. sec. 31 & 32

Land same as last, Rich &amp;c,

West Rand<sup>m</sup> On S. side of sec. 3140.00 Set a temp<sup>y</sup>. gr. sec. post

85.28 Intersect W. boundary, 28 chs. S. of post

East On true line. Begin 15 chs. South  
of corner established for T. 5 & 6 N. R. 7 W



T. C. N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

- 61.50 a Mulberry 12 in. dia. bears N20E46 1/2 mi. dist,  
 & an Elm 15 " " " S84E57 " "  
 45.20 Set gr. rec. post from which  
 a W. Oak 12 in. dia. bears S78W22 1/2 mi. dist,  
 a Hickory 10 " " " N26W23 " "  
 85.28 Set a post cor. sec. 31 & 32 from which  
 a Locust 20 in. dia. bears N24E24 1/2 mi. dist,  
 & an ash 12 " " " S82W36 " "

## East On true line S. side Sec. 32

- 40.00 Set gr. rec. post from which  
 a Buckeye 9 in. dia. bears N44W9 1/2 mi. dist,  
 & a Sugar 10 " " " S39E15 " "  
 60.20 To a Buckeye 10 in. dia. in the line,  
 70.50 <sup>cor. on River & back</sup> to S.E. side of River & set post from which  
 a Willow 10 in. dia. bears N30W12 1/2 mi. dist,  
 & a Do. 9 " " " N62W15 " "  
 80.00 Set a post cor. sec. 32 & 33 from wh.,  
 a Beech 9 in. dia. bears S59W9 1/2 mi. dist,  
 & a Hackberry 8 " " " S9E14 " "

## East On true line S. side of sec. 33

- 40.00 Set gr. rec. post from which  
 a Locust 20 in. dia. bears N34W21 1/2 mi. dist,  
 & a Beech 8 " " " N80E31 " "  
 80.00 Set a post cor. sec. 33 & 34 from which  
 a Hackberry 9 in. dia. bears N65W10 1/2 mi. dist,  
 & a Do. 10 " " " N12W22 1/2 mi. dist,

## East True line On S. side of sec. 34

- 40.00 Set gr. rec. post from which  
 an Elm 12 in. dia. bears N12W20 1/2 mi. dist,  
 & a Do. 18 " " " N44W61 1/2 mi. dist,  
 80.00 Set a post cor. sec. 34 & 35 from which  
 a W. Oak 10 in. dia. bears N84W110 1/2 mi. dist,  
 & a B. Oak 6 " " " N52E68 " "

T. C. N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

- East True line S. side sec. 35,  
 40.00 Set gr. rec. post from which  
 no bearings  
 80.00 Set a post cor. sec. 35 & 36 from wh.,  
 a B. Oak 20 in. dia. bears S21E24 1/2 mi. dist,  
 & a Do. 24 " " " N13W54 " "

## East True line On S. side sec. 36

- 40.00 Set a gr. rec. post from which  
 a Hickory 9 in. dia. bears N86E40 1/2 mi. dist,  
 no other bearing given { survey in 1815.  
 80.00 To the Town corner, By Mr. Hendrick S. S.

## East Boundary. Var. 6°15'E.

## North On the E. side of sec. 36

- 9.40 To a Spring cor. E,  
 40.00 Set gr. rec. post from which  
 a W. Oak 20 in. dia. bears S2W28 1/2 mi. dist,  
 & a Dogwood 6 " " " North 25 " "  
 40.40 To a Brook 75 ft. wide cor. N.W.,  
 47.82 " the same " " " " N.E.,  
 52.00 " " Do. " " " " W.,  
 80.00 Set a post cor. sec. 25 & 36 from which  
 a Sugar 8 in. dia. bears S30E7 1/2 mi. dist,  
 & a Do. 7 " " " N85W24 " "  
 Land rolling to

## North On the E. side of sec. 25

- 21.00 To a Spring cor. S.W.,  
 40.00 Set gr. rec. post from which  
 a Boxelder 10 in. dia. bears S71W14 1/2 mi. dist,  
 & a Gum 9 " " " N59W16 " "  
 59.01 To the W. fork of White River. set post  
 an Elm 12 in. dia. bears S24W20 1/2 mi. dist,  
 65.88 Set post on N. side of White River -



T. C. N. R. 6 W. 3<sup>rd</sup>. New. Ind.<sup>a</sup>

Co. L<sub>1</sub> an Elm 20 in. dia. bears N 28° 19' M. dist.  
 & a Do. 10 " " " N 58° 23' " "  
 80.00 Set a post cor. sec. 24 & 25 from which  
 an Elm 10 in. dia. bears S 52° 13' M. dist.  
 & a Do. 10 " " " N 20° 15' " "  
 no other given. Land rich & the  
 timber is Elm Ash Walnut Hickory &c.

North On the E. side of sec. 24  
 40.00 Set gr. sec. post from which  
 an Elm 10 in. dia. bears S 36° 49' M.  
 & a W. Oak 20 " " " N 19° 37' dist.  
 75.00 Enter a prairie  
 80.00 Set a post cor. sec. 13 & 24 from which  
 no bearings in prairie

North On the E. side of sec. 13  
 40.00 Set gr. sec. post. no bearings  
 45.00 Enter timber  
 80.00 Set a post cor. sec. 12 & 13  
 a B. Oak 20 in. dia. bears S 19° 33' M.  
 & a Do. 18 " " " S 84° 25' "  
 Thin soil & the timber is Oak & Hickory.

North On the E. side of sec. 12  
 40.00 Set gr. sec. post from which  
 a B. Oak 20 in. dia. bears N 12° 26' M. dist.  
 & a W. Oak 18 " " " W. 36 " "  
 40.00 To a pond 31 chs wide on. S. W  
 80.00 Set a post cor. sec. 1 & 12 from wh.  
 a Beech 12 in. dia. bears N 20° 42' 22" M.  
 & a - no other bearings given.  
 Land same as on last mile.

North On the E. side of sec. 1 S 60° 46' 6" W  
 40.00 set gr. sec. post from which  
 a Hickory 6 in. dia. bears N 28° 21' M. dist.

T. C. N. R. 6 W. 3<sup>rd</sup>. New. Ind.<sup>a</sup>

Co. L<sub>1</sub> & a W. Oak 8 in. dia. bears N 23° 52' M. dist.  
 45.00 To a Do. 10 " " on the line.  
 80.00 Set temporary Iowa corner,  
 Surveyed in 1815,  
 By Arthur Morris. Dep. Sur.

## North Boundary.

West Rand<sup>m</sup>. On S. side sec. 36 T 7 N R 6 W  
 40.00 Set a temp. gr. sec. post  
 80.00 Set a temp. post cor. sec. 35 & 36  
 Land sandy, timber Oak on E. side  
 of a large prairie -

West On S. side sec. 35 T 7 N R 6 W. Rand<sup>m</sup>.  
 40.00 Set temp. gr. sec. post - in prairie  
 55.00 Leave the prairie  
 80.00 Set a post cor. sec. 34 & 35 -

West On Rand<sup>m</sup>. S. side of sec. 34 T 7 N R 6 W  
 10.00 Enter a large wet prairie  
 40.00 Set a gr. sec. post in. Do. Rand. Temp.  
 80.00 Set a temp. post in prairie on. sec. 34 & 33

West Rand<sup>m</sup>. On S. side of sec. 33 T 7 N R 6 W  
 15.00 Leave prairie  
 40.00 Set a temp. gr. sec. post  
 60.00 Pass a small road  
 80.00 Set a post cor. sec. 32 & 33 -

West Rand<sup>m</sup>. On S. side of sec. 32 T 7 N R 6 W  
 40.00 Set a temp. gr. sec. post,  
 80.00 Set a temp. post cor. sec. 32 & 31  
 Good Oak land April 20<sup>th</sup> 1811 -

West Rand<sup>m</sup>. On S. side of sec. 31 T 7 N R 6 W,



T. C. N. R. 6 W. 2<sup>nd</sup>. New, Ind.

- 10.00 Enter a swamp, & with great difficulty continued in it 10 chs., could go no further returned to cor. sec. 31 & 32 & run S 20 E 95 chs. - S 20 W 45 chs. - West 25 chs. then we drop an arm of the swamp extending still farther South. Continued West through the swamp 85 chs. Then the main cut let running to the S. 102.75 ths. Intersect range line. Remasured N. on said line 19.75 ths. 1/2 mile post. 61.25 To cor. sec. 18 & 12 T. 6 R. 7. North 10 chs. swamp. West 10 chs. to get clear of swamp North clear by swamp 60 chs. returned to line by running East 10 chs. North 6 miles continued - 70.31 cor.
- 85.00 Set a temporary post.

Surveyed in 1811. By

{ Note. For correction of this boundary } Alex. Holmes, Dep. Sur., &  
{ Sec. South boundary of T. 7 N. R. 6 W. } James Holmes, Dep. Sur.,

## West Boundary.

Var, 6° 30' E,

- North On the E. side of sec. 36 T. 6 N. R. 7 W.  
.54 To a Sapagras 15 in. dia. in the line  
19.80 " an Ash 30 " " " "  
40.00 " a Hickory 20 " " for 1/4 sec. cor.  
67.84 " " Do. 18 " " in the line  
80.00 Set a post cor. sec. 25 & 36 from which  
a Beech 36 in. dia. bears N 80° W 36 ths.  
& a Do. 36 " " " S 70° W 21 " dia.  
over good bottom land ash & sugar, &c.
- North On the E. side of sec. 25 T. 6 N. R. 7 W.  
.54 To a Beech 36 in. dia. in the line  
3.80 " an Elm 20 " " " "  
40.00 Set gr. sec. post from which  
a Hickory 16 in. dia. bears N 85° E 6 ths. dia.

T. C. N. R. 6 W. 2<sup>nd</sup>. New, Ind.

6. L. & an Elm - in. dia. bears N 37° W 21 ths. dia.  
43.63 To a Locust - " " in the line,  
62.00 Leave the bottom  
80.00 Set a post cor. sec. 24 & 25 from which  
a B. Oak 30 in. dia. bears S 26° W 95 ths. dia.  
& a Do. 30 " " " N 37° W 57 " "  
Land fine bottom Timber Walnut &c.

North On the E. side of sec. 24 T. 6 N. R. 7 W

- 21.00 Enter a prairie  
40.00 Set gr. sec. post in prairie. no bearings  
80.00 Set post cor. sec. 13 & 24 in prairie,  
no bearings - no description given.

North On the E. side of sec. 13 T. 6 N. R. 7 W

- 33.83 To a B. Oak 24 in. dia. in the line.  
40.00 Set gr. sec. post from which  
a B. Oak 20 in. dia. bears S 72° E 150 ths.  
& no other near

- 45.00 Leave the prairie  
53.44 To a W. Oak - in dia. in line,  
70.00 To a Pond 11 chs. wide  
80.00 Cor to sec. 12 & 13 in pond  
wet prairie land,

North On the E. side of sec. 12 T. 6 N. R. 7 W

- 1.00 Leave the pond  
33.85 To a B. Oak 24 in. dia. in the line  
40.00 Set gr. sec. post from which  
a W. Oak 18 in. dia. bears N 50° E 32 ths.  
& a Hickory 20 " " " S 65° W 31 "  
57.85 To a W. Oak 24 " " in the line  
80.00 Set a post cor. sec. 1 & 12 from which  
a B. Oak 24 in. dia. bears S 57° W 17 ths. dia.  
& a W. Oak 20 " " " N 45° W 5 " "  
Good Oak land -



T. S. N.

Corner to L.	
N 30 W 29.00	
N 12 E 13.50	
N 69 E 15.00	
S 59 E 34.00	
East 13.00	
N 60 E 35.00	
S 76 E 26.00	
N 50 E 10.00	
N 8 W 6.00	
N 42 W 24.00	

Surveyed

The following  
 proper place  
 North Between  
 40.00 set gr. sec.  
 78.55 to a Hicko  
 80.00 set a post  
 a Dogwood  
 & an Elm  
 Land &c.

## CORRECTION

L. S. N. to North Range Creek, 2nd Nov. Ind.

ndary,

Var. 5° E,

side of sec 36

Sec. post

at cor. sec. 35 &amp; 36

the timber Oak &amp; Hickory

side of sec. 35

or. sec. post,

post cor. sec. 35 &amp; 34

do,

side of sec. 34

or. sec. post

at cor. sec. 33 &amp; 34

as last,

side of sec. 33,

the wide cor. at S.

or. sec. post,

at cor. sec. 32 &amp; 33

the timber is Poplar Ash

side of sec. 32

side of River

at cor. sec. 31 &amp; 32

last, Rich &amp;c,

side of sec. 31

or. sec. post

and 28 chs. S. of post

Begin 15 chs. South

of corner established for T. S. N. R. 7W



Township 6 North Range 6 West 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

## h. L. South Boundary.

Var. 5<sup>th</sup> 6.

West On Random On S. side of sec 36

40.00 Set a temp<sup>y</sup>, gr. sec, post80.00 Set a temp<sup>y</sup>, post cov, sec. 35 & 36

Land rolling &amp; the timber Oak &amp; Hickory

West Rand<sup>m</sup> On S. side of sec. 3540.00 Set a temp<sup>y</sup>, gr. sec, post,80.00 Set a temp<sup>y</sup>, post cov, sec. 35 & 34

Land bushy &amp;c.

West Rand<sup>m</sup> On S. side of sec. 3440.00 Set a temp<sup>y</sup>, gr. sec, post

80.00 Set temporary post cov, sec. 33 &amp; 34

Land same as last,

West Random, South side of sec. 33,

23.00 To a Pond 250 lks, wide cr. NW,

40.00 Set a temp<sup>y</sup>, gr. sec, post,80.00 Set a temp<sup>y</sup>, post cov, sec. 32 & 33Rich land & the timber is Poplar Ash  
Walnut &c.

West Random On S. side of sec. 32

9.50  $\frac{1}{2}$  White River

19.80 Over to N.W. side of River

80.00 Set temp<sup>y</sup>, post cov, sec. 31 & 32

Land same as last, Rich &amp;c.

West Rand<sup>m</sup> On S. side of sec. 3140.00 Set a temp<sup>y</sup>, gr. sec, post

85.28 Intersect N. boundary - 28 chs. S. of post

East On true line. Begin 15 chs. South  
of corner established for  $\frac{1}{2}$  S. &  $\frac{1}{2}$  N. R. 7<sup>th</sup>



T. C. N. R. 6 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- 61.50 a Mulberry 12 in. dia. bears N20846 Mr. Dick,  
 Van Elm 15 " " S84E57 " "  
 45.28 Set gr. rec. post from which  
 a W. Oak 12 in. dia. bears S78W22 Mr. Dick,  
 a Hickory 10 " " N26W23 " "  
 85.28 Set a post cor. sec. 31 & 32 from which  
 a Locust 20 in. dia. bears S24E24 Mr. Dick,  
 Van Elm 12 " " S82W36 " "

## East On true line S. side sec. 32

- 40.00 Set gr. rec. post from which  
 a Buckeye 9 in. dia. bears N44W9 Mr. Dick,  
 Van Sugar 10 " " S39E15 " "  
 60.20 To a Buckeye 10 in. dia. in the line,  
 cor. on River bank  
 70.50 To S.E. side of River & set post from which  
 a Willow 10 in. dia. bears N30W12 Mr. Dick,  
 Van Do. 9 " " N62W15 " "  
 80.00 Set a post cor. sec. 32 & 33 from which  
 a Beech 9 in. dia. bears S59W9 Mr. Dick,  
 Van Hackberry 8 " " S7E14 " "

## East On true line S. side of sec. 33

- 40.00 Set gr. rec. post from which  
 a Locust 20 in. dia. bears S34W21 Mr. Dick,  
 Van Beech 8 " " N80E31 " "  
 80.00 Set a post cor. sec. 33 & 34 from which  
 a Buckeye 9 in. dia. bears N65W10 Mr. Dick,  
 Van Do. 10 " " S12W22 Mr. Dick,

## East True line On S. side of sec. 34

- 40.00 Set gr. rec. post from which  
 an Elm 12 in. dia. bears N12W20 Mr. Dick,  
 Van Do. 18 " " N44W61 Mr. Dick,  
 80.00 Set a post cor. sec. 34 & 35 from which  
 a W. Oak 10 in. dia. bears N84W110 Mr. Dick,  
 Van B. Oak 6 " " N52E68 " "

T. C. N. R. 6 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

- East True line S. side sec. 35,  
 40.00 Set gr. rec. post from which  
 no bearings  
 80.00 Set a post cor. sec. 35 & 36 from which  
 a B. Oak 20 in. dia. bears S21E27 Mr. Dick,  
 Van Do. 24 " " N13W54 " "

## East True line On S. side sec. 36

- 40.00 Set a gr. rec. post from which  
 a Hickory 9 in. dia. bears N86E40 Mr. Dick,  
 no other bearing given { surveyed in 1815.  
 80.00 To the Town corner, By Mr. Tolmire & S. S.

## x Oak East Boundary. Var. 67.15' E.

- North On the E. side of sec. 36  
 9.40 To a Spring cor. E.  
 40.00 Set gr. rec. post from which  
 a W. Oak 20 in. dia. bears S2W28 Mr. Dick,  
 Van Dogwood 6 " " North 25 " "  
 40.40 To a Brook 75 Mr. wide cor. N.W.  
 47.82 " the same " " " N.W.  
 52.00 " " Do. " " " W.  
 80.00 Set a post cor. sec. 25 & 36 from which  
 a Sugar 8 in. dia. bears S30E7 Mr. Dick,  
 Van Do. 7 " " N85W27 " "  
 Land rolling &

## North On the E. side of sec. 25

- 21.00 To a spring cor. S.W.  
 40.00 Set gr. rec. post from which  
 a Boulder 10 in. dia. bears S71W14 Mr. Dick,  
 Van Elm 9 " " N59W16 " "  
 59.01 To the W. fork of White River. set post  
 an Elm 12 in. dia. bears S24W20 Mr. Dick,  
 65.88 Set post on N. side of White River -



T. C. N. R. 6 W. 3<sup>rd</sup>. New, Ind<sup>a</sup>

Co. La. an Elm 20 in. dia. bears N 28° 19' E 14 ft. dist.  
 & a Do. 10 " " " N 58° W 23 " "  
 80.00 Set a post cor. sec. 24 & 25 from which  
 an Elm 10 in. dia. bears S 52° E 12 ft. dist.  
 & a Do. 10 " " " N 20° W 15 " "  
 no other given. Land rich & the  
 timber is Elm Ash Walnut Hickory &c.

North On the E. side of sec. 24  
 40.00 Set gr. sec. post from which  
 an Elm 10 in. dia. bears S 36° E 49 ft.  
 & a W. Oak 20 " " " N 19° W 37 " dist.  
 75.00 Enter a prairie  
 80.00 Set a post cor. sec. 13 & 24 from which  
 no bearings - in prairie

North On the E. side of sec. 13  
 40.00 Set gr. sec. post. no bearings  
 45.00 Enter timber  
 80.00 Set a post cor. sec. 12 & 13  
 a B. Oak 20 in. dia. bears S 9° W 33 ft.  
 & a Do. 18 " " " S 84° E 25 "  
 Thin soil & the timber is Oak & White.

North On the E. side of sec. 12  
 40.00 Set gr. sec. post from which  
 a B. Oak 20 in. dia. bears N 12° E 26 ft. dist.  
 & a W. Oak 18 " " " W. 36 " "  
 46.00 To a pond 31 chs wide on. S. W  
 80.00 Set a post cor. sec. 1 & 12 from wh.  
 a Beech 12 in. dia. bears N 20° W 22 ft.  
 & a - no other bearing given,  
 Land same as on last mile.

North On the E. side of sec. 12 6<sup>th</sup> N. R. 6 W.  
 40.00 Set gr. sec. post from which  
 a Hickory 6 in. dia. bears N 12° E 31 ft. dist.

T. C. N. R. 6 W. 3<sup>rd</sup>. New, Ind<sup>a</sup>

Co. La. & a W. Oak 8 in. dia. bears N 23° E 20 ft. dist.  
 45.00 To a Do. 10 " " in the line,  
 80.00 Set temporary Brown corner,  
 Surveyed in 1815,  
 By Arthur Housie. Sep. Sur.

## North Boundary. Var.

West Rand<sup>m</sup> On S. side sec. 36 T<sup>h</sup> N. R. 6 W.  
 40.00 Set a temp<sup>y</sup>. gr. sec. post  
 80.00 Set a temp<sup>y</sup> post cor. sec. 35 & 36  
 Land sandy, timber Oak on E. side  
 of a large prairie -

West On S. side sec. 35 T<sup>h</sup> N. R. 6 W. Rand<sup>m</sup>  
 40.00 Set temp<sup>y</sup>. gr. sec. post - in prairie  
 55.00 Leave the prairie  
 80.00 Set a post cor. sec. 34 & 35 -

West On Rand<sup>m</sup> S. side of sec. 34 T<sup>h</sup> N. R. 6 W.  
 10.00 Enter a large wet prairie  
 40.00 Set a gr. sec. post in. Do. Rand. Temp<sup>y</sup>.  
 80.00 Set a temp<sup>y</sup>. post in prairie cor. sec. 34 & 33

West Rand<sup>m</sup> On S. side of sec. 33 T<sup>h</sup> N. R. 6 W.  
 15.00 Leave prairie  
 40.00 Set a temp<sup>y</sup>. gr. sec. post  
 60.00 Make a small road  
 80.00 Set a post cor. sec. 32 & 33 -

West Rand<sup>m</sup> On S. side of sec. 32 T<sup>h</sup> N. R. 6 W.  
 40.00 Set a temp<sup>y</sup>. gr. sec. post,  
 80.00 Set a temp<sup>y</sup>. post cor. sec. 32 & 31  
 Good Oak land April 20<sup>th</sup> 1811 -

West Rand<sup>m</sup> On S. side of sec. 31 T<sup>h</sup> N. R. 6 W.



T. C. N. R. & W. 2<sup>nd</sup>. New, Ind.

- 10.00 Enter a swamp, & with great difficulty continued in it 10 chs., could go no further returned to cor. sect 31 & 32 & run S 20 E 95 chs. - S 20 W 45 chs. - West 25 chs. here we crop an arm of the swamp extending still farther South. Continued West through the swamp 85 chs. then the main cut let running to the S. 102.75 ths. Intersect range line. Remeasured N. on said line 19.75 ths. 1/2 mile post. 61.25 To cor. sect 18 & 12 T. 6 R. 7 E.
- 61.25 North 10 chs. swamp. West 10 chs. to get clear of swamp North along by swamp 60 chs. returned to line by running East 10 chs. North 6 miles continued - 70.31 cor.
- 85.00 Set a temporary post.

Surveyed in 1811. By

{Note. For correction of this boundary} Alex. Holmes, Dep. Sur., &  
{Sec. South boundary of T. 7 N. R. 6 W.} James Holmes, Dep. Sur.,

## West Boundary.

Var. 6° 30' E.

- North On the E. side of sec. 36 T. 6 N. R. 7 W.
- 54 To a Sapagras 15 in. dia. in the line
- 19.80 " an Ash 30 " " " "
- 40.00 " a Hickory 20 " " for 1/4 sec. cor.
- 67.84 " " Do. 18 " " in the line
- 80.00 Set a post cor. sec. 25 & 36 from which a Beech 36 in. dia. bears N 80 W 36 ths. & a Do. 36 " " " S 70 W 21 " dist.
- Over good bottom land ash & sugar.

- North On the E. side of sec. 25 T. 6 N. R. 7 W.
- 54 To a Beech 36 in. dia. in the line.
- 3.80 " an Elm 20 " " " "
- 40.00 Set gr. sec. post from which a Hickory 16 in. dia. bears N 85 E 6 ths. dist.

T. C. N. R. & W. 2<sup>nd</sup>. New, Ind.

- 6.00 & an Elm - in dia. bears N 39 W 21 ths. dist.
- 43.63 To a Locust - " " in the line.
- 62.00 Leave the bottom
- 80.00 Set a post cor. sec. 24 & 25 from which a B. Oak 30 in. dia. bears S 26 W 95 ths. dist. & a Do. 30 " " " N 3 W 57 " "
- Land fine bottom Timber Walnut &c.

North On the E. side of sec. 24 T. 6 N. R. 7 W.

- 21.00 Enter a prairie
- 40.00 Set gr. sec. post in prairie. no bearings
- 80.00 Set post cor. sec. 13 & 24 in prairie, no bearings - no description given.

North On the E. side of sec. 13 T. 6 N. R. 7 W.

- 33.83 To a B. Oak 24 in. dia. in the line.
- 40.00 Set gr. sec. post from which a B. Oak 20 in. dia. bears S 72 E 6150 ths. & no other near

45.00 Leave the prairie

- 53.44 To a W. Oak - in dia. in line.
- 70.00 To a Pond 11 chs. wide
- 80.00 Cor. to sec. 12 & 13 in Pond West prairie land.

North On the E. side of sec. 13 T. 6 N. R. 7 W.

- 1.00 Leave the pond
- 33.85 To a B. Oak 24 in. dia. in the line
- 40.00 Set gr. sec. post from which a W. Oak 18 in. dia. bears N 50 E 32 ths. & a Hickory 20 " " " S 65 W 31 "
- 57.85 To a W. Oak 24 " " in the line
- 80.00 Set a post cor. sec. 1 & 12 from which a B. Oak 24 in. dia. bears S 5 W 17 ths. dist. & a W. Oak 20 " " " N 45 W 5 " "
- Good Oak land -



T. C. N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

North On E. side of sec. 1 T. C. N. R. 6 W.  
 2.61 To a W. Oak 10 in. dia. in the line,  
 11.00 Entered a pond  
 40.00 Set gr. sw. post in pond, no bearings  
 70.31 Set a post cor. Towns 6 & 7 N. R. 6 & 7 W.  
 a Hickory 10 in. dia. bears N 65° W 8<sup>th</sup>.  
 & a Do. 12 " " " N 72° E 28<sup>th</sup>.  
 Description omitted. Friday Feb. 1<sup>st</sup>.  
 1811. - Surveyed by Dan. Sullivan J. S.

## Subdivision

North Between sections 35 & 36

40.00 Set gr. sw. post from which  
 a Hickory 6 in. dia. bears N 56° E 18<sup>th</sup>. dist.  
 & a Do. 6 " " " S 21° E 9 " "  
 74.00 To a Brook 75<sup>th</sup> wide on N.W.  
 80.00 Set a post cor. sec. 25, 26, 35 & 36  
 a Beech 12 in. dia. bears N 12° E 11<sup>th</sup> dist.  
 & a Do. 10 " " " S 38° W 19 " "  
 Land rolling & the timber is Oak & Hickory  
 & thin soil.

East On Random between sec. 25 & 36

40.00 Set a trap, gr. sw. post  
 80.00 Intercept E. line of sec. 20<sup>th</sup> S. of post  
 Land rolling & the timber is  
 Sugar & Beech

West Correct the line between sec. 25 & 36

40.00 Set gr. sw. post from which  
 a Sugar 10 in. dia. bears N 11° W 8<sup>th</sup>.  
 & a Do. 12 " " " N 73° E 9 " dist.  
 80.00 To the sec. corner,

North Between sections 25 & 26

35.00 To pond on E & W. 300<sup>th</sup> wide

T. C. N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

40.00 Set gr. sw. post from which  
 a Mulberry 12 in. dia. bears N 50° E 41<sup>th</sup>.  
 & a Beech 20 " " " S 15° E 39 " dist.  
 80.00 Set a post cor. sec. 23, 24, 25 & 26 from wh.  
 a Hickory 10 in. dia. bears N 25° W 18<sup>th</sup>.  
 & a Do. 9 " " " N 74° E 24<sup>th</sup>.  
 Land rich level & the timber is Hickory  
 ash, Oak & Walnut

East On Random <sup>line</sup> between sec. 24 & 25

28.58 To White River & set post on bank  
 a Sugar 12 in. dia. bears N 4° E 4<sup>th</sup> dist.  
 & a Do. 10 " " " S 12° W 31 " "  
 Land very rich

West Between sections 24 & 25

37.50 To White River & set post on N.W. side  
 a Sugar 12 in. dia. bears S 2° E 16<sup>th</sup> dist.  
 & a Do. 10 " " " N 21° E 42 " "  
 Land &c. is same as on last mile

North Between sections 23 & 24

19.34 To bank of White river & set post  
 a Maple 6 in. dia. bears S 8° E 6<sup>th</sup> dist.  
 & a Do. 6 " " " S 58° W 7 " "  
 25.44 To N.W. side & set post from which  
 an Ironwood 6 in. dia. bears N 6° W 19<sup>th</sup> dist.  
 & a Do. 6 " " " S 84° W 6 " "  
 40.00 Set a gr. sw. post from which  
 a W. Oak 8 in. dia. bears S 50° E 34<sup>th</sup> dist.  
 & a Dogwood 7 " " " S 81° E 31 " "  
 80.00 Set a post cor. sec. 9, 13, 14, 23 & 24  
 a B. Oak 12 in. dia. bears N 16° W 50<sup>th</sup>.  
 & a Do. 20 " " " N 25° E 28 " dist.  
 Land &c. is same as on last mile



T. 6 N. R. 6 W. 2<sup>nd</sup>. Mer. Ind.?

East On Random between sec. 13 & 24  
 40.00 Set a temp. gr. sec. post,  
 74.00 Enter prairie  
 80.00 Intersect E. line of sec. 12 1/2 mi. S. of  
 post. Land rolling & the timber  
 is Oak & Hickory

West Correct the line between sec. 13 & 24  
 40.00 Set gr. sec. post from which  
 a W. Oak 10 in. dia. bears South 28 1/2 mi.  
 & a Do. 10 " " " N 42 W 6 1/2 mi.  
 80.00 To the sections corner

North Between sections 13 & 14  
 10.00 To a Brook 5 mi. wide cr. West  
 40.00 Set gr. sec. post from which  
 no bearings - no timber near,  
 80.00 Set a post cor. sec. 11, 12, 13 & 14  
 a B. Oak 9 in. dia. bears N 18 W 25 1/2 mi.  
 & a Do. 8 " " " N 36 W 102 " "  
 Soil thin & sandy, & the mud, etc.  
 is B. Oak & Hickory & thinly timbered

East Between sections 12 & 13, Rand.  
 25.00 Enter prairie  
 40.00 Set a temp. gr. sec. post,  
 55.00 Enter timbered land  
 79.80 Intersect E. line of sec. 12 at post,  
 Land level &c.

West Correct the line between sec. 12 & 13,  
 39.90 Set gr. sec. post from which  
 no bearings -  
 79.80 To the sec. corner,

North Between sections 11 & 12,

T. 6 N. R. 6 W. 2<sup>nd</sup>. Mer. Ind.?

40.00 Set a gr. sec. post from which  
 a Hickory 10 in. dia. bears N 10 W 52 1/2 mi. S. of  
 48.85 To a W. Oak 10 " " " in the line,  
 80.00 Set a post cor. sec. 1, 2, 11 & 12 in prairie  
 a W. Oak 18 in. dia. bears N 15 E 89 1/2 mi. S. of  
 no other. Land &c. same as last,

East On Random between sec. 1 & 12  
 5.00 Enter timbered land  
 40.00 Set a temp. gr. sec. post  
 80.00 Intersect the E. line of sec. 8 1/2 mi. S. of  
 post. Land &c. is same as last mile

West Correct the line between sec. 1 & 12  
 40.00 Set gr. sec. post from which  
 a W. Oak 10 in. dia. bears S 78 E 34 1/2 mi. S. of  
 & a B. Oak 12 " " " S 18 W 9 " "  
 80.00 To the sec. corner,

North Between sections 34 & 35  
 40.00 Set gr. sec. post from which  
 an Ironwood 8 in. dia. bears S 88 E 2 1/2 mi.  
 & a Beech 10 " " " S 71 W 23 1/2 mi. S. of  
 80.00 Set a post cor. sec. 26, 27, 34 & 35  
 a Beech 24 in. dia. bears S 20 E 23 1/2 mi. S. of  
 & a Do. 12 " " " N 87 W 9 " "  
 Land rich level & the timber is Hackberry  
 ash, Walnut, Locust &c.

North Between sections 1 & 2  
 40.00 Set gr. sec. gr. post in prairie no bearings  
 102.75 Set post in N. boundary, at post cor. sec. 1 & 2,  
 Land &c. is same as on last mile,

East On Random between sec. 26 & 35  
 24.50 Enter a pond 50 mi. wide cr. N. W.



T. C. N. R. C. W. 2<sup>nd</sup> Mer. Ind.

- 40.00 Set a Tumpfy, gr. sec. post  
 68.00 To a Birch 50 lbs. wide cr. N.W.  
 80.00 Intersect the E. line of sec. 8 lbs. S.  
 of post. Land level & rich

West Between sections 26 & 35, corrected.

- 40.00 Set gr. sec. post from which  
 a Hickory 7 in. dia. bears S65E74th dist.  
 & a Do. 10 " " " N44W26 " "  
 80.00 To the section corner,

North Between sections 26 & 27

- 28.90 To a B. Walnut 24 in. dia. in the line  
 40.00 Set gr. sec. post from which  
 a B. Oak 10 in. dia. bears S53E22th dist.  
 & a Boxwood 10 " " " N22E18 " "  
 54.50 Set a post on River bank from which  
 a B. Walnut 8 in. dia. bears S33W14th dist.  
 & a Do. 7 " " " S83W14 " dist.  
 80.00 Corner Sec. 22.23.26 & 27. in River,  
 Land &c. same as on last mile,

West Between sections 23 & 26

- 40.00 Set gr. sec. post from which  
 a Hackberry 20 in. dia. bears N20W9th dist.  
 & a Locust 10 " " " East 9 " "  
 53.49 To River & set post on bank from which  
 a Maple 10 in. dia. bears N40W6th dist.  
 & a Cottonwood 20 in. dia. " N82E28 " "  
 61.50 To N.W. side of White River,  
 73.00 Set post on River bank,  
 (no further notes & no descriptions)

North Between sections 22 & 23,

- 1.50 To S.E. side of White River set post,  
 a Buckeye 10 in. dia. bears S34W20th dist.

Comp.

T. C. N. R. C. W. 2<sup>nd</sup> Mer. Ind.

6. L. & a Buckeye 10 in. dia. bears S67E12th,  
 10.05 To a Cottonwood 10 in. dia. in the line,  
 cor. tree on the river  
 19.00 Over to N.W. side of Do., set post  
 a Hackberry 12 in. dia. bears N12W25th,  
 & a Locust 20 " " " S15W12 " dist.  
 40.00 Set a gr. sec. cor. post from which  
 an Elm 9 in. dia. bears S15E28th dist.  
 & a Hackberry 8 in. dia. bears N47W27 " "  
 75.00 To a pond 250 lbs. wide cr. S.E. & N.W.  
 80.00 Set a post cor. sec. 14.15.22 & 23 from which  
 an Ironwood 8 in. dia. bears S59W12th dist.  
 & a Hackberry 12 " " " N10W4 " "  
 Land rich & the timbered Hackberry &c.

East On Random between sec. 14 & 23,

- 40.00 Set a Tumpfy, gr. sec. post  
 60.00 To a pond 8 lbs. wide cr. N & S,  
 80.00 Intersect the E. line of sec. 12 lbs. N. of  
 post. Land level rich &c.

West Correct the line between sec. 14 & 23,

- 40.00 Set a gr. sec. post from which  
 a Sugar 12 in. dia. bears West 42th dist.  
 & a Buck 20 " " " S43E14 " "  
 80.00 To the section corner,

North Between sections 14 & 15

- 6.00 To a pond 5 lbs. wide cr. S.W. & N.E.,  
 40.00 Set a gr. sec. post from which  
 an Elm 20 in. dia. bears S23W29th,  
 & a Gum 10 " " " N88E9 " dist.  
 80.00 Set a post cor. sec. 10.11.14 & 15 from wh.  
 a B. Oak 12 in. dia. bears N65E32th dist.  
 & a Do. 12 " " " N18W38 " "  
 Land wet & the timber is Buck Ash Elm  
 Gum &c.



T. & N. R. & W. 2<sup>nd</sup> Nov. Ind.<sup>a</sup>

East Between sections 11 & 14 Random,  
 10.00 Enter a prairie  
 40.00 Set a temporary q<sup>r</sup>. sec. post  
 65.00 To Timbered land  
 79.55 Intersect the E. line of sec. 28 th. N. of post. Land level &.

West Correct the line between sec. 11 & 14  
 39.77 1/2 Set a q<sup>r</sup>. sec. post, from which  
 no bearings—  
 79.55 To the sections corner.

North Between sections 10 & 11  
 10.00 Enter a prairie  
 40.00 Set q<sup>r</sup>. sec. post in prairie, no bearings  
 80.00 Set a post cor. to sec. 2, 3, 10 & 11 from wh.  
 a B. Oak 8 in. dia. bears South 67° 1/2 W. 8 ft.  
 Land level &—

East On Random between sec. 2 & 11  
 40.00 Set a temporary q<sup>r</sup>. sec. post.  
 79.80 Intersect the E. line of sec. at post  
 This line over prairie.

West Correct the line between sec. 2 & 11  
 39.90 Set q<sup>r</sup>. sec. post from which  
 no bearings—  
 79.80 To the sections corner.

North Between sections 2 & 3. To 1966 W  
 40.00 Set a q<sup>r</sup>. sec. post no bearings,  
 55.00 To Timbered land  
 75.00 Enter prairie  
 85.00 " Timber again  
 102.50 Intersect N. boundary at post.  
 Land &c. same as last mile.

T. & N. R. & W. 2<sup>nd</sup> Nov. Ind.<sup>a</sup>

North Between sections 33 & 34  
 29.50 Enter a road 200 lbs. wide cr. 6 ft. W.  
 40.00 Set a q<sup>r</sup>. sec. post from which  
 an Elm 10 in. dia. bears N 45° W 8 lbs. dia.  
 & a Boxelder 8 " " " S 15° E 32 " "  
 79.20 To a B. Walnut 24 in. dia. in the line  
 80.00 Set a post cor. sec. 27, 28, 33 & 34  
 a Beech 20 in. dia. bears S 15° W 35 lbs. dia.  
 & a Hackberry 8 " " " S 83° W 14 " "  
 Land very rich & level & the timber  
 is Walnut as before

East On Random between sec. 27 & 34  
 40.00 Set a temporary q<sup>r</sup>. sec. post  
 80.00 Intersect E. line of sec. 12 th. at post.  
 Land &c. is same as last mile

West Correct the line between sec. 27 & 34  
 40.00 Set a q<sup>r</sup>. sec. post from which  
 a Buckeye 6 in. dia. bears N 47° W 16 lbs. dia.  
 & a Hackberry 10 " " " S 87° E 23 " "  
 80.00 To sec. corner.

North Between sections 27 & 28,  
 9.66 To White River & set post on bank  
 a Hickory 10 in. dia. bears S 75° E 15 lbs. dia.  
 & a Hackberry 7 " " " S 88° W 13 " "  
 40.00 Dr. Sec. cor. in the river  
 47.27 Over River & set post on S.E. side from which  
 a Maple 6 in. dia. bears N 28° W 13 lbs. dia.  
 & a Do. 12 " " " S 38° E 21 " "  
 Land &c. same as on last mile  
 80.00 Set a post cor. sec. 21, 22, 27 & 28 from wh.  
 a Maple 10 in. dia. bears N 69° W 6 lbs. dia.  
 & a Do. 7 " " " S 35° W 8 " "  
 Land &c. same as last mile



T. & N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

- West Between sections 22 & 27  
 1.00 To River set post on S.E. side  
 a B. Walnut 7 in dia. bears S 60 W 15 in. dist.  
 & a Hackberry 7 " " " N 85 E 13 " "  
 30.50 Over to same side & set post from which  
 a Hackberry 10 in dia. bears S 56 E 14 in. dist.  
 & a Boxelder 7 " " " N 88 E 5 " "  
 38.00 Over to N.W. side of White River set post  
 at a W. Oak 12 in dia. cor. tree  
 44.30 To a Brook 75 ft. wide cor. South  
 62.00 To N.W. side of White River set post  
 a Maple 12 in dia. bears S 75 E 41 in. dist.  
 & a Do. 10 " " " N 24 W 30 " "

## East Between sections 22 &amp; 27

- 8.96 To White River at a Cottonwood 9 in dia. cor.

## North Between sections 20 &amp; 22

- 2.85 To a Maple 12 in dia. in the line,  
 corner tree on White River  
 10.00 Over River to N.W. side set post  
 a Buckeye bears N 6 E 21 in. dist.  
 & a Hickory 7 in dia. " S 70 E 17 " "  
 40.00 Set gr. sec. post from which  
 an Elm 20 in dia. bears N 28 E 6 in.  
 & a Buckeye 6 " " " S 40 W 3 " "  
 69.00 To a pond 6 chains wide cor. S.E. & N.W.  
 80.00 Set a post cor. sec. 15, 16, 21 & 22.  
 a Gum 10 in dia. bears S 81 W 39 in. dist.  
 & an Elm 20 " " " N 56 E 39 " "

## East Between sections 15 &amp; 22

- 40.00 Set a Lempy. gr. sec. post  
 50.00 Entered a pond 5 chs. wide cor. N.W.  
 75.00 To a pond 3 chs. wide N.W. & E.  
 80.00 Intersect E. line of sec. 12 the N. of post,

T. & N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

C. L. Land wet & the timber is Elm Ash &c.

- West Correct the line between sec. 15 & 22  
 40.00 Set gr. sec. post from which  
 a Lynn 8 in dia. bears S 66 W 39 in. dist.  
 & a Beech 10 " " " N 24 E 23 " "  
 80.00 To the return corner,

## North Between sections 15 &amp; 16

- 40.00 Set gr. sec. post from which  
 a Gum 12 in dia. bears S 6 W 54 in. dist.  
 & an Elm 20 " " " S 33 W 31 " "  
 75.00 To a B. Oak 20 in dia. in the line  
 80.00 Set a post cor. sec. 9, 10, 15 & 16  
 a Hickory 8 in dia. bears N 8 E 40 in. dist.  
 & a B. Oak 20 " " " N 88 W 31 " "  
 Land wet. & the timber is Elm Gum  
 Maple, Ash &c.

## East On Random between sec. 10 &amp; 15

- 20.00 To a Brook 30 ft. wide cor. S.W.  
 40.00 Set a Lempy. gr. sec. post  
 80.00 Intersect the E. line of sec. at cor. post,  
 Land &c. same as on last mile,

## West Correct the line between sec. 10 &amp; 15

- 40.00 Set gr. sec. post from which  
 a Wash 20 in dia. bears S 73 E 35 in. dist.  
 & a Do. 19 " " " N 30 - 18 " "  
 80.00 To the return corner,

## North Between sections 9 &amp; 10

- 40.00 Set gr. sec. post from which  
 a Hickory 10 in dia. bears North 52 in.  
 & an Elm 10 " " " S 5 W 37 in. dist.  
 50.00 Enter a prairie



T. 6 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

80.00 Set a post cor. sec. 3, 4, 9 & 10 from which  
an Elm 12 in. dia. bears S 33 W 109 ft. dist.  
Land fr. wet -

East On Random between sections 3 & 10

40.00 Set a Temp. gr. sec. post

60.00 To a pond 4 chs. wide

80.00 Intersect the E. line of sec. 12 th. dist. of  
post. This line over prairie,

West Correct the line between sec. 3 & 10

40.00 Set gr. sec. post, no bearings,

80.00 To the section corner,

North Between sections 3 & 4, T. 6 N. R. 6 W.

40.00 Set a gr. sec. post from which

a White Oak 36 in. dia. bears N 85 E 52 ft. dist.

& a Hickory 12 " " " S 15 E 41 " "

90.00 Enter a prairie

103.00 Intersect the N. boundy, 75 th. E. of post  
Land level & thinly timbered with,  
Oak, Hickory & Elm fr.

North Between sections 32 & 33,

9.32 To bank of White river & set post

an Elm 6 in. dia. bears S 18 E 7 ft. dist.

& a Red bud 7 " " " N 61 W 21 " "

24.00 To N.W. side of River & set post from which

a Maple 6 in. dia. bears S 8 E 12 ft. dist. &

a Do. 10 " " " N 57 W 11 " "

40.00 Set a post for gr. sec. cor. from which

an Elm 20 in. dia. bears N 29 W 29 ft. dist.

& a Do. 10 " " " N 62 W 19 " "

59.60 To a Beech 20 " " in the line,

80.00 Set a post cor. sec. 28, 29, 32 & 33,

a Hickory 9 in. dia. bears S 24 E 22 ft. dist.

T. 6 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

C. L. & a Beech 8 in. dia. bears N 44 W 30 ft. dist.  
Land rich fr.

East On Random between sec. 28 & 33,

40.00 Set a gr. sec. post from which

a Hackberry 10 in. dia. bears N 45 W 17 ft. dist.

& a Do. 10 " " " North 33 " "

45.50 To River bank & set post from which

a White Oak 12 in. dia. bears N 41 E 7 ft. dist.

& a Sugar 8 " " " N 15 W 11 " "

West Between sections 28 & 33,

26.85 To River bank & set post on S.E. side

a Maple 12 in. dia. bears N 44 W 14 ft. dist.

& a Do. 8 " " " S 8 E 14 " "

Land fr. same as on last mile,

North Between sections 28 & 29

40.00 Set a post for gr. sec. cor. from which

a B. Oak 24 in. dia. bears S 9 W 20 ft. dist.

& a Hickory 10 " " " S 61 E 10 " "

60.80 To a B. Oak 20 " " in the line,

80.00 Set a post cor. sec. 20, 21, 28 & 29

a White Oak 10 in. dia. bears S 9 E 6 ft. dist.

& a B. Oak 20 " " " S 39 W 40 " "

Land the same as on last mile,

East Between sections 21 & 28,

40.00 Set a Temp. gr. sec. post

68.68 To N.W. side of River & set post from which

a Red Bud 8 in. dia. bears N 44 E 8 ft. dist.

& a White Oak 7 " " " S 21 E 11 " "

Land fr. same as on last mile

West Between sections 21 & 28,

3.50 To S.E. side & set post on River from wh.



T. C. N. R. & W. 2<sup>nd</sup> Mer. Ind.

6. L. a Cottonwood 8 in. dia. bears N 79° E 20 M. dist,  
 & a Sycamore 9 " " " S 48° W 6 " "  
 Land & same as on last mile,

## North Between sections 20 &amp; 21.

40.00 Set a g. sec. post from which  
 a B. Oak 8 in. dia. bears N 34° W 44 M. dist,  
 & a Do. 10 " " " N 78° W 65 " "  
 66.20 To a W. Oak 12 " " in the line;  
 80.00 Set a post cor. sec. 16, 17, 20 & 21. from wh.  
 a W. Oak - bears N 47° E 14 M. dist  
 & a Do. 12 in. dia. bears N 87° W 34 " "  
 Land level & the timber is Oak & Hickory,

## East Random between sec. 16 &amp; 21

40.00 Set a Temporary g. sec. post  
 70.00 Cut a pond 5 chas. wide on N. & S.  
 80.20 Intersect E. boundary at cor  
 Land same & brushy,

## West Correct the line between sec. 16 &amp; 21

40.10 Set g. sec. post from which  
 a B. Oak 20 in. dia. bears S 88° W 36 M.  
 & an Elm 20 " " " S 70° E 33 " dist,  
 81.20 To the sec. corner,

## North Between sections 16 &amp; 17

40.00 Set g. sec. post from which  
 a B. Oak 20 in. dia. bears S 35° E 33 M. dist  
 & a W. Oak 12 " " " North 25 " "  
 80.00 Set a post cor. sec. 8, 9, 16 & 17 from wh.  
 a W. Oak 12 in. dia. bears S 61° E 29 M. dist,  
 & a Do. 30 " " " N 26° W 45 " "  
 Land & is same as on last mile,

## East On Random between sec. 9 &amp; 16

T. C. N. R. & W. 2<sup>nd</sup> Mer. Ind.

40.00 Set a Temporary g. sec. post  
 79.90 Intersect the E. line of sec. 30 1/2 M. off post,  
 Land wet & the timber is Elm, Oak & Hickory

## \* North Between sections 8 &amp; 9

12.15 To a Br. Oak 15 in. dia. in the line,  
 40.00 Set a g. sec. post from which  
 a B. Oak 30 in. dia. bears N 71° W 44 M. dist,  
 & a W. Oak 18 " " " S 59° E 44 " "  
 80.00 Set a post cor. to sec. 4, 5, 8 & 9 from wh.  
 a B. Oak 20 in. dia. bears S 20° W 53 M. dist,  
 & a Hickory 10 " " " N 3° W 35 " "  
 Land & same as on last mile,

## East On Random between sec. 4 &amp; 9

15.00 Enter a prairie  
 40.00 Set a Temporary post 1/4 sec.  
 50.00 Enter timbered land  
 79.80 Intersect the E. line of sec. 48 1/2 M. off  
 post. Land level & the timber is Oak & Hickory,

## West Correct the line between sec. 4 &amp; 9

39.90 Set g. sec. cor. post - no bearings  
 79.80 To the section corner,

## North Between sections 31 &amp; 32

40.00 Set g. sec. post from which  
 a Hickory 6 in. dia. bears N 10° E 34 M. dist,  
 80.00 Set a post cor. sec. 29, 30, 31 & 32  
 a W. Oak 10 in. dia. bears N 28° E 50 M. dist,  
 & a Do. 30 " " " S 14° W 25 " "  
 Land rich level & the timber is Oak  
 ash & Walnut

## \* North Between sections 4 &amp; 5.

40.00 Set g. sec. cor. post from which



T. & N. R. & W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

61.50 a B. Oak 10 in dia. bears N 36 W 47<sup>th</sup> Mer. Ind.  
 45.00 To the N.W. corner of a prairie  
 75.00 Enter timbered land  
 102.00 Intersect N. boundary 178<sup>th</sup> Mer. E. of post,  
 where set a post cor. sec. 14 & 5 from which  
 a B. Oak 24 in dia. bears N 38 E 53<sup>th</sup> Mer. Ind.  
 Land very brushy & the timber is  
 Oak & Hickory

East On Random between sec. 29 & 32  
 40.00 Set a Temp. y. gr. sec. post  
 79.72 Intersect the E. line of sec. 18 Mer. Ind.  
 of post. Land &c. is same as last mile

West Correct the line between sec. 29 & 32  
 39.86 Set gr. sec. post from which  
 a Hackberry 15 in dia. bears N 10 E 1<sup>st</sup> Mer. Ind.  
 79.72 To the sec. corner,

North Between sections 29 & 30  
 12.00 To a B. Oak 18 in dia. in the line,  
 40.00 Set gr. sec. post from which  
 an ash 10 in dia. bears N 5 E 31<sup>st</sup> Mer. Ind.  
 & an Elm 12 " " " N 7 E 28 " "  
 55.00 Enter prairie  
 80.00 Set a post cor. sec. 19, 20 & 30  
 in prairie Land level. (no bearings)

East On Random between sec. 20 & 29  
 39.50 To Timbered land  
 40.00 Set a Temp. y. gr. sec. post  
 80.00 To the E. line of sec. 12 Mer. N. of post,  
 Land &c. is same as on last mile

West Correct the line between sec. 20 & 29  
 40.00 Set gr. sec. post from which

T. & N. R. & W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

61.50 an Elm 20 in dia. bears N 75 W 24<sup>th</sup> Mer. Ind.  
 80.00 To the section corner,

North Between sections 19 & 20  
 21.00 Enter Timbered land  
 40.00 Set gr. sec. post from which  
 a W. Oak 12 in dia. bears N 88 W 12<sup>th</sup> Mer. Ind.  
 & a Do. 18 " " " N 49 E 21 " "  
 80.00 Set a post cor. sec. 17, 18 & 19 from which  
 an Elm 10 in dia. bears N 24 E 6<sup>th</sup> Mer. Ind.  
 & a Do. 6 " " " N 74 W 19 " "  
 Land wet very level Timber Elm & Hickory

North Between sections 17 & 18,  
 40.00 Set gr. sec. post from which  
 a W. Oak 8 in dia. bears N 73 E 9<sup>th</sup> Mer. Ind.  
 & a Hickory 12 in dia. " N 72 W 22 " "  
 63.00 Enter prairie  
 80.00 Set a post cor. sec. 17, 18 & 20  
 in prairie. no bearings,  
 Land &c. is same as on last mile

East Between sections 17 & 20 Random,  
 17.50 Enter prairie  
 29.50 Enter Timbered land  
 40.00 Set a Temp. y. gr. sec. post  
 79.80 Intersect the E. line of sec. 20 Mer. N. of  
 post. Land &c. is same as on last mile

West Between sections 17 & 20,  
 39.90 Set gr. sec. post from which a  
 B. Oak 7 in dia. bears N 76 W 10<sup>th</sup> Mer. Ind. &  
 a Do. 12 " " " N 52 E 32 " "  
 79.80 To the section corner,

East On Random between sections 8 & 17



T. C. N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

- 10.00 Entered Timbered land  
 40.00 Set a *Lumpz*, gr. sw. post  
 79.75 Intersect the E. line of sec. at post,  
 The land &c. is same as last

West - Correct the line between sec. 8 & 17  
 39.87½ Set gr. sw. post from which  
 a *Elm* 10 in dia. bears N 57 E 44 in dist.  
 & a *W. Oak* 12 " " " S 12 E 24 " "  
 79.75 To the section corner

North Between sections 7 & 8,  
 25.00 Entered Timbered land  
 40.00 Set gr. sw. post from which  
 an *Elm* 12 in dia. bears N 31 E 26 in dist.  
 & a *Do.* 10 " " " S 25 W 20 "  
 60.00 Entered a pond covered with brush  
 80.00 Set a post cor. sec. 5, 6, 7 & 8, in pond  
 Land &c. is same as on last mile,

East On Randone between sections 5 & 8,  
 30.00 Entered Timbered land E. side of pond  
 40.00 Set a *Lumpz*, gr. sw. post  
 80.00 Intersect the E. line of sec. 14 in dist. N  
 of post. Land rolling & the timber  
 is oak & *Hickory* &c.

West - Correct the line between sec. 5 & 8,  
 40.00 Set gr. sw. post from which  
 a *Hickory* 9 in dia. bears S 10 W 3 in dist.  
 & a *Do.* 12 " " " N 85 W 68 "  
 80.00 To the section corner,

North Between sections 5 & 6  
 40.00 Dr. sec. cor. in pond,  
 52.00 Entered Timbered land

T. C. N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

103.20 Intersect N. boundary, at post,  
*Timber* oak & *Hickory* &c.

West Between sections 6 & 7  
 40.00 Dr. sec. post in pond  
 55.00 Entered some timbered  
 88.00 Intersect W. boundary 28 chs. South cor.

West Between sections 7 & 18.  
 38.50 To Timbered land  
 40.00 Set gr. sw. post from which  
 an *Elm* 10 in dia. bears N 40 E 12 in,  
 & a *W. Oak* 10 " " " S 65 W 16 in dist.  
 87.30 Intersect W. boundary, 25.60 in. South  
 of post where set post cor. sec. 7 & 18,  
 a *B. Oak* 9 in dia. bears S 80 E 35 in dist.  
 & a *Do.* 10 " " " S 54 E 35 "  
 Land level & the timber is oak & *Hickory*  
*Elm* &c.

West Between sec. 18 & 19  
 35.35 Entered a prairie  
 40.00 Set a gr. sw. post in prairie  
 87.35 Intersect W. boundary, 22.60 in. South  
 of post. - Land level &c.

West Between sections 19 & 30  
 30.00 Entered Timbered land  
 40.00 Set gr. sw. post from which  
 a *B. Oak* 20 in dia. bears S 74 E 36 in  
 & a *Do.* 12 " " " S 57 W 32 "  
 86.88 Intersect W. boundary, 18.76 in. South of  
 post & set post cor. sec. 19 & 30 -  
 a *Maple* 12 in dia. bears N 70 E 21 in dist.  
 & a *Do.* 15 " " " N 32 W 14 "  
 Land &c. same as on last mile,



T. C. N. R. 6 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

West Between sections 30 &amp; 31

40.00 Set a g. w. post from which  
a B. Oak 20 in dia. lay N 10 E 9 M. 20 ft  
& a Hickory 6 in " " S 76 W 22 ft.86.30 Set post on W. boundry, 15.76 M.  
South of cor. from which  
a Sapras 10 in dia. bears N 5 W 41 M. 11 ft,  
Land &c. is same as on last mile,Surveyed by Arthur Henrie Dep. Sur.  
in January 1815. —  
Arthur Henrie. Dep. Sur.Notes of a Re-Survey & Examination  
made by N. L. Squire in 1843.North from 1/4 post on E side of sec. 12, T. C. N. R. 6 W.  
12.00 To NW. Cor. of sec 7, T. C. N. R. 6 W. in a  
cornfield.

East Between sec. 6 &amp; 7.

22.00 To marshy pond & set post from which  
a B. Oak 20. S. 32 E. 23 LKs +  
a S. Maple 20. N 15 E 31 " " good oak land.

North On N. side of sec. 6. from cor to sec 6 &amp; 7.

39.00 To pond & set post. from which  
a S. Maple 20. S 69 E 37 + Hickory 12. S 48 W 72.  
92.00 by offset N. side of pond & set post  
Hickory 10. N 31 W. 33 + N. Oak 20. N 65 E 13.  
100.00 To N. W. cor of sec 6.

East On N. side of sec 6. from Town cor.

6.00 To pond & set post. Hickory 10. S 74 W 11 +  
B. Oak 20. N 13 E 45.T. C. N. R. 6 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

South from 1/4 post on E. side of sec 12, T. C. N. R. 6 W.

39.50 To N. side of pond & set post from which  
a B. Oak 10. N. 77 E. 30 + B. Oak 7. S 64 W 24.  
40.00 Cor to sec. 12 & 13. T. C. N. R. 6 W. from which  
N. Oak 20 N 73 W 75 + ash 7. N 56 W 40.  
50.00 Crossed pond & set post from which  
Maple 10. N 35 E. 47 + Ash 18. S 69 W. 48.  
64.00 To Cor of sec 7, T. C. N. R. 6 W.

North from Cor to sec 7, 8, 17, &amp; 18. between 7 &amp; 8.

39.80 To 1/4 post. Elm standing + Hickory 10. S. 85 E. 17.  
61.00 To pond & set post on N. side.  
an Ash 8. N. 74 W. 14 + Ash 10. S. 53 E. 33,  
80.00 Cor to sec. 5, 6, 7 & 8 in pond.

East from Cor to sec 5, 6, 7, &amp; 8 by offset.

27.00 To E side of pond & set post  
B. Oak 12. S 77 W 30 + Do 12. N. 45 W. 45.  
40.00 1/4 post between sec. 5 & 8.

North from Cor to sec. 5, 6, 7 &amp; 8. by offset.

90.00 To N. side of pond & set post.  
N. Oak 10. N 44 E 13 + S Maple 10. N 86 W. 16.  
98.50 To Cor on N. boundary between sec. 5 & 6.  
138 LKs E of post. Set post from which  
N. Oak 20. N. 49 LKs + N. Oak 20. S. 9 W. 40 LKs.

West from Cor to sec 5 &amp; 6 on N. boundary.

11.38 To E side of pond & set post.  
N. Oak 30. N 53 E. 15 LKs + N. Oak 15. N 20 W 18.+ Meanders of Pond from post on E side  
on Town line. thence down on E side.

S. 45 E 7.00 In sec 6.

S. 65 E 5.00

S. 60 E 3.00 line between sec 5 &amp; 6.



S. C. N. R. C. M. S. <sup>d</sup> Mer. Ind. <sup>a</sup>.

S. 48 E 2.15 In sec 5.  
 S. 20 E 17.00  
 S. 10 E 18.50  
 S. 38 E 5.50  
 S. 49 E 7.00  
 S. 34 E 17.50  
 South 18.00  
 S. 23 W 5.80  
 South 7.50 line between sec 5 & 8. E of pond.  
 S. 22 W 7.00 In sec 8.  
 S. 40 W 11.00  
 S. 50 W 5.50  
 S. 86 W 13.50 Line between 7 & 8. S. of pond.  
 S. 85 W 4.00 In sec 7.  
 S. 48 W 7.00  
 S. 61 W 6.50  
 S. 35 W 5.00  
 N. 60 W 16.50  
 S. 42 W 15.50  
 S. 88 W 6.00  
 N. 75 W 18.50  
 S. 27 W 5.00  
 S. 16 E 4.00  
 S. 5 E 9.50  
 S. 42 W 10.00  
 S. 70 W 7.00  
 S. 48 W 8.92 To Town line S. of pond.

From Cor on N. side of sec 6. N. of pond.

S. 22 W 5.00  
 S. 39 W 3.50  
 S. 66 W 1.96 To post on N. side of sec 6. N. of pond.  
 S. 80 W 5.00 In sec 1. S. C. N. R. C. M.  
 S. 38 W 5.00  
 S. 10 E 6.00  
 South 10.00

S. C. N. R. C. M.

S. C. N. R. C. M. S. <sup>d</sup> Mer. Ind. <sup>a</sup>.

S. 5 E 15.00  
 S. 24 E 10.50  
 S. 5 E 3.50  
 S. 16 E 4.42 To Cor on Town line S. of pond.  
 S. 35 E 11.00 In sec 6. S. C. N. R. C. M.  
 S. 25 E 10.00  
 S. 4 E 5.00  
 S. 31 E 6.50  
 S. 24 E 7.00  
 S. 47 E 6.90 line between sec 6 & 7. N. of pond.  
 S. 57 E 3.50 In sec 7.  
 S. 10 E 6.00  
 S. 33 W 10.00  
 S. 30 W 8.00  
 S. 24 W 7.00  
 S. 1 E 9.50  
 S. 37 E 2.00  
 S. 21 E 2.50  
 S. 23 W 7.00  
 S. 61 W 7.50  
 S. 68 W 4.18 To Cor on N. boundary N. of pond.  
 N. S. Squibb D. S.

South from N. E. Cor of sec 1. S. C. N. R. C. M.

415.00 Enter prairie.

63.00 " scattering timber.

102.00 To S. E. Cor of sec 1. at Edge of pond.

South from Cor to sec 10 & 12 on Town line.

38.00 To South side of pond & set post.

At N. Lat 20. N. 50 E. 45 & Hickory 12. S. 44 W 20.

42.41 To 1/4 post on E. side of sec 12. trees standing.

Wanders of pond from post on E. side  
on E line of sec 12.

S. 39 W 6.50



415,

L. G. N. R. - 600.

S. 26 N 21.50

S. 32 E 9.50

S. 56 N 20.00

N 71 N 8.00

N 20 N 5.00

N 43 N 6.00

N 11 N 15.00

N 10 E 5.00

N 5 N 7.00

N 24 E 20.00

N 62 E 5.00

N 24 E 5.00

N 20 E 9.00

N 80 E 15.00

N 34 E 7.00

N 79 E 6.35 To Cor of Sec 10-12 on Range line.

N L Squibb D.S.

1844.